

SUPPLEMENTARY DATA - LIST OF MANGROVE MOLLUSC SPECIES

BIVALVIA

Anomiidae

<i>Anomia chinensis</i> Philippi 1849	[S.Chi.]
<i>Enigmonia aenigmatica</i> (Holten 1802)	[S.Chi.; Gulf. Tonk]

Arcidae

<i>Anadara antiquata</i> (Linnaeus 1758)	[S.Chi.]
<i>Anadara consociata</i> (E. A. Smith 1885)	[S.Chi.]
<i>Anadara cornea</i> (Reeve 1844)	[E.Philip.]
<i>Anadara crebricostata</i> (Reeve 1844)	[S.Chi.; Gulf. Tonk]
<i>Anadara fultoni</i> (G. B. Sowerby III 1907)	[Sun. Shelf/Jav. Sea]
<i>Anadara guangdongensis</i> (F.R. Bernard Cai & B. Morton 1993)	[S.Chi.]
<i>Anadara gubernaculum</i> (Reeve 1844)	[S.Chi.]
<i>Anadara kagoshimensis</i> (Tokunaga 1906)	[S.Chi.]
<i>Anadara notabilis</i> (Röding 1798)	[Ban. Sea]
<i>Anadara pilula</i> (Reeve 1843)	[NE.Sulaw.]
<i>Anadara satowi</i> (Dunker 1882)	[S.Chi.; Gulf. Tonk]
<i>Anadara troscheli</i> (Dunker 1882)	[S.Chi.]
<i>Anadara tuberculosa</i> (G. B. Sowerby I 1833)	[NE.Br.]
<i>Anadara uropigimelana</i> (Bory de Saint-Vincent 1827)	[S.Chi.; Gulf. Tonk]

<i>Barbatia amygdalumtostum</i> (Röding 1798)	[S.Chi.; Gulf. Tonk]
<i>Barbatia decussata</i> (G. B. Sowerby I 1833)	[NE.Sulaw.]
<i>Barbatia grayana</i> Dunker 1867	[S.Chi.]
<i>Barbatia obliquata</i> (Wood 1828)	[S.Chi.; Gulf. Tonk]
<i>Mesocibota bistrigata</i> (Dunker 1866)	[S.Chi.; Gulf. Tonk]
<i>Senilia senilis</i> (Linnaeus 1758)	[Sahel. Upwe.]
<i>Tegillarca granosa</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk; Gulf. Thail.]
<i>Tegillarca nodifera</i> (Martens 1860)	[E.Philip.; S.Chi.]

Cardiidae

<i>Acrosterigma pristipleura</i> (Dall 1901)	[E.Philip.]
<i>Acrosterigma simplex</i> (Spengler 1799)	[S.Chi.]
<i>Fragum fragum</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Fragum unedo</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Fulvia aperta</i> (Bruguière 1789)	[S.Chi.; Gulf. Tonk]
<i>Fulvia australis</i> (G. B. Sowerby II 1834)	[S.Chi.]
<i>Lunulicardia retusa</i> (Linnaeus 1767)	[S.Chi.; Gulf. Tonk]
<i>Vasticardium elongatum</i> (Bruguière 1789)	[S.Chi.; Gulf. Tonk]
<i>Vasticardium enode</i> (G. B. Sowerby II 1840)	[S.Chi.; Gulf. Tonk]
<i>Vasticardium flavum</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]

Carditidae

Centrocardita rosulenta (Tate 1887)

[W.Sum.]

Chamidae

Chama dunkeri Lischke 1870

[S.Chi.]

Chama fragum Reeve 1847

[S.Chi.]

Crassatellidae

Bathytormus radiatus (G. B. Sowerby I 1825)

[Gulf. Thail.]

Corbulidae

Caryocorbula swiftiana (C. B. Adams 1852)

[NE.Br.]

Corbula dietziana C. B. Adams 1852

[NE.Br.]

Potamocorbula amurensis (Schrenck 1862)

[S.Chi.]

Potamocorbula fasciata (Reeve 1843)

[S.Chi.]

Potamocorbula laevis (Hinds 1843)

[S.Chi.]

Potamocorbula rubromuscula Q.-Q. Zhuang & Y.-Y. Cai 1983

[S.Chi.]

Cyrenidae

Corbicula fluminea (O. F. Müller 1774)

[S.Chi.; Gulf. Tonk]

Corbicula nitens (Philippi 1844)

[S.Chi.]

Corbicula similis (W. Wood 1828)

[S.Chi.; Gulf. Tonk]

Geloina coaxans (Gmelin 1791)

[E.Chi. Sea; E.Philip.; S.Chi.; Gulf. Tonk]

Geloina bengalensis (Lamarck 1818)

[NE.Sulaw.; Less. Sun]

Geloina expansa (Mousson 1849)

[Sun. Shelf/Jav. Sea; W.Sum.; NE.Sulaw.; Pap.; Araf. Sea; Mal. Strait]

Donacidae

<i>Donax cuneatus</i> Linnaeus 1758	[S.Chi.; Gulf. Tonk]
<i>Donax dysoni</i> Reeve 1854	[S.Chi.]
<i>Donax faba</i> Gmelin 1791	[S.Chi.; E.Philip.]
<i>Donax semisulcatus semigranosus</i> Dunker 1877	[S.Chi.; Gulf. Tonk]
<i>Iphigenia brasiliensis</i> (Lamarck 1818)	[NE.Br.]

Dreissenidae

<i>Mytilopsis sallei</i> (Récluz 1849)	[SW.Carib.; S.Chi.]
--	---------------------

Glauconomidae

<i>Glauconome angulata</i> Reeve 1844	[S.Chi.]
<i>Glauconome cerea</i> Reeve 1844	[S.Chi.]
<i>Glauconome chinensis</i> Gray 1828	[S.Chi.]
<i>Glauconome curta</i> Reeve 1844	[S.Chi.]
<i>Glauconome straminea</i> Reeve 1844	[S.Chi.]

Gryphaeidae

<i>Hytissa hyotis</i> (Linnaeus 1758)	[S.Chi.]
<i>Hytissa inermis</i> (G. B. Sowerby II 1871)	[S.Chi.]

Isognomonidae

<i>Isognomon alatus</i> (Gmelin 1791)	[SW.Carib.]
<i>Isognomon bicolor</i> (C. B. Adams 1845)	[SW.Carib.]

<i>Isognomon ephippium</i> (Linnaeus 1758)	[E.Philip.; S.Chi.; Araf. Sea; Mal. Strait; Gulf. Thail.; Ban. Sea]
<i>Isognomon isognomum</i> (Linnaeus 1758)	[S.Chi.]
<i>Isognomon legumen</i> (Gmelin 1791)	[S.Chi.]
<i>Isognomon nucleus</i> (Lamarck 1819)	[S.Chi.]
<i>Isognomon perna</i> (Linnaeus 1767)	[S.Chi.]
<i>Isognomon radiatus</i> (Anton 1838)	[SW.Carib.]

Lasaeidae

<i>Borniopsis maipoensis</i> (B. Morton & Scott 1989)	[S.Chi.]
---	----------

Laternulidae

<i>Exolaternula liautaudi</i> (Mittre 1844)	[S.Chi.; Gulf. Tonk]
<i>Exolaternula spengleri</i> (Gmelin 1791)	[S.Chi.; Gulf. Tonk; Gulf. Thail.]
<i>Laternula anatina</i> (Linnaeus 1758)	[S.Chi.]
<i>Laternula boschasina</i> (Reeve 1860)	[S.Chi.]
<i>Laternula corrugata</i> (Reeve 1863)	[Gulf. Thail.]
<i>Laternula gracilis</i> (Reeve 1860)	[S.Chi.]

Lucinidae

<i>Anodontia alba</i> Link 1807	[E.Philip.]
<i>Anodontia edentula</i> (Linnaeus 1758)	[S.Chi.]
<i>Austriella corrugata</i> (Deshayes 1843)	[S.Chi.; Gulf. Tonk]
<i>Bathyaustriella thionipta</i> Glover J. D. Taylor & Rowden 2004	[Kerm. Islands]

<i>Indoaustriella dalli</i> (Lynge 1909)	[Gulf. Thail.]
<i>Indoaustriella lamprelli</i> Glover J. D. Taylor & S. T. Williams 2008	[Tweed-Mor.]
<i>Indoaustriella plicifera</i> (A. Adams 1856)	[S.Chi.]
<i>Indoaustriella scarlatoi</i> (Zorina 1978)	[S.Chi.; Gulf. Tonk]
<i>Lepidolucina venusta</i> (Philippi 1847)	[S.Chi.]
<i>Lucina pensylvanica</i> (Linnaeus 1758)	[Flor.]
<i>Lucinoma annulata</i> (Reeve 1850)	[E.Philip.]
<i>Lucinoma filosa</i> (Stimpson 1851)	[NE.Br.]
<i>Phacoides pectinatus</i> (Gmelin 1791)	[Amz.]
<i>Pegophysema philippiana</i> (Reeve 1850)	[S.Chi.]
<i>Pillucina neglecta</i> Habe 1960	[S.Chi.; Gulf. Tonk]
<i>Rugalucina vietnamica</i> (Zorina 1978)	[S.Chi.]

Mactridae

<i>Lutraria lutraria</i> (Linnaeus 1758)	[Sun. Shelf/Jav. Sea]
<i>Lutraria maxima</i> Jonas 1844	[S.Chi.]
<i>Mactra alta</i> Deshayes 1855	[S.Chi.; Gulf. Tonk]
<i>Mactra antiquata</i> Spengler 1802	[S.Chi.; Gulf. Tonk]
<i>Mactra aphrodina</i> Reeve 1854	[S.Chi.]
<i>Mactra chinensis</i> Philippi 1846	[S.Chi.; W.Ind.]
<i>Mactra cuneata</i> Gmelin 1791	[S.Chi.; Gulf. Tonk]

<i>Mactra grandis</i> Gmelin 1791	[S.Chi.; Gulf. Tonk]
<i>Mactra luzonica</i> Reeve 1854	[S.Chi.; Gulf. Tonk]
<i>Mactra quadrangularis</i> Reeve 1854	[S.Chi.; Gulf. Tonk]
<i>Mactra stultorum</i> (Linnaeus 1758)	[Sun. Shelf/Jav. Sea]
<i>Mactra violacea</i> Gmelin 1791	[NE.Sulaw.]
<i>Meropesta nicobarica</i> (Gmelin 1791)	[S.Chi.]

Margaritidae

<i>Pinctada chemnitzii</i> (Philippi 1849)	[S.Chi.]
<i>Pinctada fucata</i> (A. Gould 1850)	[S.Chi.]
<i>Pinctada imbricata</i> Röding 1798	[NE.Br.]
<i>Pinctada margaritifera</i> (Linnaeus 1758)	[S.Chi.]
<i>Pinctada maxima</i> (Jameson 1901)	[E.Philip.]

Mesodesmatidae

<i>Atactodea striata</i> (Gmelin 1791)	[S.Chi.]
<i>Coecella chinensis</i> Deshayes 1855	[S.Chi.; Gulf. Tonk]
<i>Coecella formosae</i> de Rooij-Schuiling 1972	[S.Chi.]
<i>Coecella horsfieldii</i> Gray 1853	[S.Chi.]
<i>Davila plana</i> (Hanley 1843)	[S.Chi.]
<i>Donacilla cornea</i> (Poli 1791)	[Gulf. Thail.]

Myidae

Sphenia fragilis (H. Adams & A. Adams 1854) [NE.Br.]

Mytilidae

Arcuatula senhousia (Benson 1842) [S.Chi.]

Arenifodiens vagina (Lamarck 1819) [S.Chi.]

Botula cinnamomea (Gmelin 1791) [S.Chi.]

Brachidontes mutabilis (Gould 1861) [S.Chi.]

Brachidontes variabilis (Krauss 1848) [S.Chi.]

Byssogerdus subsulcatus (Dunker 1857) [S.Chi.]

Leiosolenus lischkei M. Huber 2010 [S.Chi.]

Limnoperna fortunei (Dunker 1857) [S.Chi.]

Lithophaga teres (Philippi 1846) [S.Chi.]

Modiolatus flavidus (Dunker 1857) [S.Chi.]

Modiolatus plicatus (Gmelin 1791) [S.Chi.]

Modiolus comptus (G. B. Sowerby III 1915) [S.Chi.]

Modiolus moduloides (Röding 1798) [S.Chi.]

Modiolus peronianus Laseron 1956 [Tweed-Mor.]

Modiolus philippinarum Hanley 1843 [S.Chi.]

Musculus cupreus (A. Gould 1861) [S.Chi.]

Musculus lateralis (Say 1822) [NE.Br.]

Mytella guyanensis (Lamarck 1819) [NE.Br.]

<i>Mytella strigata</i> (Hanley 1843)	[NE.Br.]
<i>Mytilisepta virgata</i> (Wiegmann 1837)	[S.Chi.]
<i>Mytilus galloprovincialis</i> Lamarck 1819	[S.Chi.]
<i>Mytilus unguiculatus</i> Valenciennes 1858	[S.Chi.]
<i>Perna viridis</i> (Linnaeus 1758)	[E.Philip.; S.Chi.]
<i>Septifer bilocularis</i> (Linnaeus 1758)	[E.Philip.; S.Chi.]
<i>Septifer excisus</i> (Wiegmann 1837)	[S.Chi.]
<i>Vignadula atrata</i> (Lischke 1871)	[S.Chi.; Gulf. Tonk]

Noetiidae

<i>Arcopsis sculptilis</i> (Reeve 1844)	[S.Chi.; Gulf. Tonk]
<i>Didimacar tenebrica</i> (Reeve 1844)	[S.Chi.; Gulf. Tonk]
<i>Estellacar olivacea</i> (Reeve 1844)	[S.Chi.; Gulf. Thail.]
<i>Striarca symmetrica</i> (Reeve 1844)	[S.Chi.; Gulf. Tonk]
<i>Verilarca interplicata</i> (Grabau & S. G. King 1928)	[S.Chi.; Gulf. Tonk]

Nuculidae

<i>Ennucula tenuis</i> (Montagu 1808)	[S.Chi.]
<i>Nucula crenulata</i> A. Adams 1856	[NE.Br.]

Ostreidae

<i>Alectryonella plicatula</i> (Gmelin 1791)	[S.Chi.]
<i>Crassostrea mangle</i> Amaral & Simone 2014	[NE.Br.; SE.Br.; Amz.]

<i>Crassostrea rhizophorae</i> (Guilding 1828)	[Less. Sun]
<i>Crassostrea tulipa</i> (Lamarck 1819)	[Sahel. Upwe.]
<i>Dendostrea folium</i> (Linnaeus 1758)	[NE.Sulaw.]
<i>Dendostrea sandvichensis</i> (G. B. Sowerby II 1871)	[S.Chi.]
<i>Magallana ariakensis</i> (Fujita 1913)	[S.Chi.; Gulf. Tonk]
<i>Magallana bilineata</i> (Röding 1798)	[E.Philip.]
<i>Magallana gigas</i> (Thunberg 1793)	[S.Chi.]
<i>Magallana gryphoides</i> (Schlotheim 1820) †	[W.Ind.]
<i>Ostrea edulis</i> Linnaeus 1758	[Less. Sun]
<i>Planostrea pestigris</i> (Hanley 1846)	[S.Chi.]
<i>Saccostrea cuccullata</i> (Born 1778)	[Sun. Shelf/Jav. Sea; Ban. Sea; S.Chi.]
<i>Saccostrea echinata</i> (Quoy & Gaimard 1835)	[NE.Sulaw.; S.Chi.]
<i>Saccostrea glomerata</i> (Gould 1850)	[S.Chi.; Gulf. Tonk]
<i>Saccostrea scyphophilla</i> (Peron & Lesueur 1807)	[S.Chi.]
<i>Talonostrea talonata</i> X.-X. Li & Z.-Y. Qi 1994	[S.Chi.]

Pectinidae

<i>Argopecten gibbus</i> (Linnaeus 1758)	[NE.Br.]
<i>Mimachlamys albolineata</i> (G. B. Sowerby II 1842)	[S.Chi.]
<i>Mimachlamys crassicostata</i> (G. B. Sowerby II 1842)	[S.Chi.]

Pharidae

<i>Cultellus attenuatus</i> Dunker 1862	[S.Chi.]
<i>Cultellus subellipticus</i> Dunker 1862	[S.Chi.]
<i>Pharella acutidens</i> (Broderip & Sowerby 1829)	[S.Chi.; Mal. Strait]
<i>Siliqua minima</i> (Gmelin 1791)	[S.Chi.]
<i>Sinonovacula constricta</i> (Lamarck 1818)	[S.Chi.; Gulf. Tonk]

Pholadidae

<i>Barnea manilensis</i> (Philippi 1847)	[S.Chi.]
<i>Jouannetia cumingii</i> (G. B. Sowerby II 1849)	[S.Chi.]
<i>Martesia striata</i> (Linnaeus 1758)	[S.Chi.; Exm. Broome; W.Ind.]

Pinnidae

<i>Atrina pectinata</i> (Linnaeus 1767)	[S.Chi.]
<i>Atrina vexillum</i> (Born 1778)	[S.Chi.; Gulf. Tonk]

Placunidae

<i>Placuna ephippium</i> (Philipsson 1788)	[S.Chi.]
<i>Placuna placenta</i> (Linnaeus 1758)	[E.Philip.; S.Chi.]

Plicatulidae

<i>Plicatula australis</i> Lamarck 1819	[S.Chi.]
<i>Plicatula plicata</i> (Linnaeus 1764)	[S.Chi.]

Psammobiidae

<i>Asaphis violascens</i> (Forsskål in Niebuhr 1775)	[S.Chi.; Gulf. Tonk]
--	----------------------

<i>Gari chinensis</i> (Deshayes 1855)	[S.Chi.; Gulf. Tonk]
<i>Gari elongata</i> (Lamarck 1818)	[S.Chi.]
<i>Gari radiata</i> (Dunker in Philippi 1845)	[Gulf. Tonk]
<i>Gari togata</i> (Deshayes 1855)	[S.Chi.]
<i>Hiatula acuta</i> (Cai & Zhuang 1985)	[S.Chi.; Gulf. Tonk]
<i>Hiatula diphos</i> (Linnaeus 1771)	[Gulf. Tonk; NT.BayBeng.; S.Chi.]

Semelidae

<i>Semele cordiformis</i> (Holten 1802)	[S.Chi.]
<i>Semele crenulata</i> (Reeve 1853)	[S.Chi.]
<i>Theora lata</i> (Hinds 1843)	[S.Chi.]

Solecurtidae

<i>Azorinus scheepmakeri</i> (Dunker 1852)	[S.Chi.; Gulf. Tonk]
<i>Solecurtus consimilis</i> Kuroda & Habe in Habe 1961	[S.Chi.; Gulf. Tonk]
<i>Solecurtus divaricatus</i> (Lischke 1869)	[S.Chi.; Gulf. Tonk]
<i>Tagelus divisus</i> (Spengler 1794)	[NE.Br.]
<i>Tagelus plebeius</i> ([Lightfoot] 1786)	[NE.Br.]

Solenidae

<i>Solen brevissimus</i> Martens 1865	[S.Chi.]
<i>Solen ceylonensis</i> Leach 1814	[W.Ind.]
<i>Solen cylindraceus</i> Hanley 1843	[Mal. Strait]

<i>Solen grandis</i> Dunker 1862	[S.Chi.; Gulf. Tonk]
<i>Solen linearis</i> Spengler 1794	[S.Chi.]
<i>Solen strictus</i> Gould 1861	[S.Chi.]

Spondylidae

<i>Spondylus nicobaricus</i> Schreibers 1793	[S.Chi.]
<i>Spondylus squamosus</i> Schreibers 1793	[NE.Sulaw.; S.Chi.]
<i>Spondylus virgineus</i> Reeve 1856	[NE.Sulaw.]

Tellinidae

<i>Ameritella janeiroensis</i> (Jaeckel 1927)	[NE.Br.]
<i>Ameritella sybaritica</i> (Dall 1881)	[NE.Br.]
<i>Ameritella versicolor</i> (De Kay 1843)	[NE.Br.]
<i>Angulus lanceolatus</i> (Gmelin 1791)	[S.Chi.]
<i>Austromacoma lucerna</i> (Hanley 1844)	[S.Chi.; Gulf. Tonk]
<i>Cyclotellina remies</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Eurytellina alternata</i> (Say 1822)	[W.Ind.]
<i>Eurytellina lineata</i> (W. Turton 1819)	[NE.Br.]
<i>Hanleyanus oblongus</i> (Gmelin 1791)	[S.Chi.]
<i>Hanleyanus vestalis</i> (Hanley 1844)	[S.Chi.; Gulf. Tonk]
<i>Iridona iridescent</i> (Benson 1842)	[S.Chi.; Gulf. Tonk]
<i>Jitlada culter</i> (Hanley 1844)	[S.Chi.]

<i>Jitlada philippinarum</i> (Hanley 1844)	[S.Chi.; Gulf. Tonk]
<i>Leporimetis ephippium</i> (Spengler 1798)	[NE.Sulaw.]
<i>Leporimetis spectabilis</i> (Hanley 1844)	[S.Chi.]
<i>Macoma incongrua</i> (Martens 1865)	[S.Chi.]
<i>Macomangulus tenuis</i> (da Costa 1778)	[S.Chi.]
<i>Macomopsis chinensis</i> (Hanley 1845)	[S.Chi.]
<i>Macomopsis crawfordi</i> (G. B. Sowerby III 1892)	[S.Chi.; Gulf. Tonk]
<i>Moerella donacina</i> (Linnaeus 1758)	[W.Ind.]
<i>Moerella hilaris</i> (Hanley 1844)	[S.Chi.]
<i>Nitidotellina hokkaidoensis</i> (Habe 1961)	[S.Chi.; Gulf. Tonk]
<i>Nitidotellina lischkei</i> M. Huber Langleit & Kreipl 2015	[S.Chi.]
<i>Nitidotellina valtonis</i> (Hanley 1844)	[S.Chi.]
<i>Praetextellina praetexta</i> (Martens 1865)	[S.Chi.]
<i>Psammacoma candida</i> (Lamarck 1818)	[S.Chi.]
<i>Psammotreta maluccensis</i> (Martens 1865)	[S.Chi.; Gulf. Tonk]
<i>Quidnipagus palatam</i> Iredale 1929	[S.Chi.; Gulf. Tonk]
<i>Salmacoma nobilis</i> (Hanley 1845)	[S.Chi.; Gulf. Tonk]
<i>Scissulina dispar</i> (Conrad 1837)	[S.Chi.; Gulf. Tonk]
<i>Scutarcopagia linguafelis</i> (Linnaeus 1758)	[E.Philip.]
<i>Serratina capsoides</i> (Lamarck 1818)	[S.Chi.; Gulf. Tonk]

<i>Serratina perplexa</i> (Hanley 1844)	[S.Chi.; Gulf. Tonk]
<i>Tellinella philippii</i> (Philippi 1844)	[W.Ind.]
<i>Tellinella virgata</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Tellinides timorensis</i> Lamarck 1818	[S.Chi.; Gulf. Tonk]

Teredinidae

<i>Bactronophorus thoracites</i> (Gould 1856)	[Exm. Broome]
<i>Bankia campanellata</i> Moll & Roch 1931	[E.Ind.]
<i>Bankia carinata</i> (J. E. Gray 1827)	[E.Ind.; S.Chi.]
<i>Bankia destructa</i> Clench & R. D. Turner 1946	[E.Ind.]
<i>Bankia gracilis</i> Moll 1935	[E.Ind.]
<i>Bankia fimbriatula</i> Moll & Roch 1931	[NE.Br.]
<i>Bankia martensi</i> (Stempell 1899)	[E.Ind.]
<i>Bankia philippinensis</i> Bartsch 1927	[E.Ind.]
<i>Bankia rochi</i> Moll 1931	[Exm. Broome; E.Ind.]
<i>Dicyathifer mannii</i> (E. P. Wright 1866)	[S.Chi.]
<i>Lyrodus bipartitus</i> (Jeffreys 1860)	[E.Ind.]
<i>Lyrodus pedicellatus</i> (Quatrefages 1849)	[Exm. Broome; E.Ind.]
<i>Lyrodus takanoshimensis</i> (Roch 1929)	[E.Ind.]
<i>Nausitora dunlopei</i> E. P. Wright 1864	[E.Ind.]
<i>Nausitora fusticulus</i> (Jeffreys 1860)	[NE.Br.]

<i>Neoteredo reynei</i> (Bartsch 1920)	[S.Carib.; Amz.]
<i>Psiloteredo healdi</i> (Bartsch 1931)	[NE.Br.]
<i>Spathoteredo obtusa</i> (Sivickis 1928)	[E.Ind.]
<i>Teredo bartschi</i> Clapp 1923	[NE.Br.; E.Ind.]
<i>Teredo clappi</i> Bartsch 1923	[E.Ind.]
<i>Teredo furcifera</i> E. von Martens 1894	[E.Ind.]
<i>Teredo navalis</i> Linnaeus 1758	[S.Chi.]
<i>Teredo parksi</i> Bartsch 1921	[E.Ind.]
<i>Teredothyra matocotana</i> (Bartsch 1927)	[Exm. Broome]

Trapezidae

<i>Neotrapezium liratum</i> (Reeve 1843)	[S.Chi.; Gulf. Tonk]
<i>Neotrapezium sublaevigatum</i> (Lamarck 1819)	[S.Chi.]

Ungulinidae

<i>Joannisiella oblonga</i> (Hanley 1846)	[S.Chi.]
---	----------

Unionidae

<i>Sinanodonta woodiana</i> (I. Lea 1834)	[W.Sum.]
---	----------

Veneridae

<i>Anomalocardia flexuosa</i> (Linnaeus 1767)	[NE.Br.]
<i>Anomalodiscus squamosus</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk; Gulf. Thail.]
<i>Antigona chemnitzii</i> (Hanley 1845)	[S.Chi.]

<i>Antigona lamellaris</i> Schumacher 1817	[S.Chi.; Gulf. Tonk]
<i>Aphrodora kurodai</i> (Matsubara 2007)	[S.Chi.; Gulf. Tonk]
<i>Bassina pachyphylla</i> (Jonas 1839)	[Gulf. Thail.]
<i>Callista chinensis</i> (Holten 1802)	[S.Chi.]
<i>Callista erycina</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Callpita frizzelli</i> (Hertlein & A. M. Strong 1948)	[E.Philip.]
<i>Circe scripta</i> (Linnaeus 1758)	[E.Philip.; S.Chi.; Gulf. Tonk]
<i>Circe tumefacta</i> G. B. Sowerby II 1851	[S.Chi.; Gulf. Tonk]
<i>Cryptonema producta</i> (Kuroda & Habe 1951)	[S.Chi.; Gulf. Tonk]
<i>Cyclina sinensis</i> (Gmelin 1791)	[S.Chi.]
<i>Dosinia altior</i> Deshayes 1853	[S.Chi.]
<i>Dosinia aspera</i> (Reeve 1850)	[S.Chi.]
<i>Dosinia biscocta</i> (Reeve 1850)	[S.Chi.; Gulf. Tonk]
<i>Dosinia caerulea</i> (Reeve 1850)	[S.Chi.; Gulf. Tonk]
<i>Dosinia concentrica</i> (Born 1778)	[Gulf. Thail.]
<i>Dosinia corrugata</i> (Reeve 1850)	[S.Chi.; Gulf. Tonk]
<i>Dosinia cumingii</i> (Reeve 1850)	[S.Chi.]
<i>Dosinia fibula</i> (Reeve 1850)	[S.Chi.]
<i>Dosinia japonica</i> (Reeve 1850)	[S.Chi.; Gulf. Tonk]
<i>Dosinia orbiculata</i> Dunker 1877	[S.Chi.]

<i>Dosinia troscheli</i> Lischke 1873	[S.Chi.; Gulf. Tonk]
<i>Gafrarium dispar</i> (Holten 1802)	[S.Chi.; Gulf. Tonk]
<i>Gafrarium divaricatum</i> (Gmelin 1791)	[S.Chi.; Gulf. Tonk]
<i>Gafrarium pectinatum</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Gafrarium tumidum</i> Röding 1798	[S.Chi.; Gulf. Tonk; S.Ind. & Sri Lanka]
<i>Irus mitis</i> (Deshayes 1854)	[S.Chi.]
<i>Isabellaria isabellina isabellina</i> (L. Pfeiffer 1842)	[S.Chi.; Gulf. Tonk]
<i>Lioconcha fastigiata</i> (G. B. Sowerby II 1851)	[S.Chi.]
<i>Marcia hiantina</i> (Lamarck 1818)	[NE.Sulaw.; S.Chi.]
<i>Marcia japonica</i> (Gmelin 1791)	[S.Chi.; Gulf. Tonk]
<i>Marcia recens</i> (Holten 1802)	[S.Chi.]
<i>Macridiscus aequilatera</i> (G. B. Sowerby I 1825)	[S.Chi.; Gulf. Tonk]
<i>Mercenaria mercenaria</i> (Linnaeus 1758)	[E.Philip.]
<i>Mercenaria stimpsoni</i> (Gould 1861)	[W.Ind.]
<i>Meretrix lamarckii</i> Deshayes 1853	[S.Ind. & Sri Lanka]
<i>Meretrix lusoria</i> (Röding 1798)	[S.Chi.; Gulf. Tonk]
<i>Meretrix lyrata</i> (G. B. Sowerby II 1851)	[S.Chi.; Gulf. Tonk]
<i>Meretrix meretrix</i> (Linnaeus 1758)	[NE.Sulaw.; S.Chi.; Gulf. Tonk; NT.BayBeng.]
<i>Meretrix petechialis</i> (Lamarck 1818)	[S.Chi.]
<i>Meretrix planisulcata</i> (G. B. Sowerby II 1854)	[S.Chi.]

<i>Paratapes textilis</i> (Gmelin 1791)	[S.Ind. & Sri Lanka]
<i>Paratapes undulatus</i> (Born 1778)	[S.Chi.; Gulf. Tonk]
<i>Paphia crassisulca</i> (Lamarck 1818)	[S.Chi.]
<i>Paphia euglypta</i> (Philippi 1847)	[E.Philip.]
<i>Paphia philippiana</i> M. Huber 2010	[S.Chi.; Gulf. Tonk]
<i>Paphia schnelliana</i> (Dunker 1865)	[S.Chi.; Gulf. Tonk]
<i>Pelecypora nana</i> (Reeve 1850)	[S.Chi.; Gulf. Tonk]
<i>Pelecypora trigona</i> (Reeve 1850)	[NT.BayBeng.]
<i>Periglypta exclathrata</i> (Sacco 1900)	[S.Chi.]
<i>Periglypta puerpera</i> (Linnaeus 1771)	[S.Chi.]
<i>Periglypta reticulata</i> (Linnaeus 1758)	[S.Chi.]
<i>Petricola japonica</i> Dunker 1882	[S.Chi.]
<i>Pitar striatus</i> (Gray 1838)	[S.Chi.]
<i>Pitar sulfureus</i> Pilsbry 1904	[S.Chi.]
<i>Placamen lamellatum</i> (Röding 1798)	[S.Chi.; Gulf. Tonk]
<i>Protapes gallus</i> (Gmelin 1791)	[S.Chi.]
<i>Ruditapes philippinarum</i> (A. Adams & Reeve 1850)	[S.Chi.; Gulf. Tonk]
<i>Sunetta kirai</i> M. Huber 2010	[S.Chi.]
<i>Tapes belcheri</i> G. B. Sowerby II 1852	[S.Chi.; Gulf. Tonk]
<i>Tapes conspersus</i> (Gmelin 1791)	[S.Chi.; Gulf. Tonk]

<i>Tapes literatus</i> (Linnaeus 1758)	[S.Chi.; Gulf. Tonk]
<i>Tapes sulcarius</i> (Lamarck 1818)	[S.Chi.]
<i>Tivela delessertii</i> (G. B. Sowerby II 1854)	[E.Philip.]
<i>Transennella stimpsoni</i> Dall 1902	[NE.Br.]
<i>Venerupis aspera</i> (Quoy & Gaimard 1835)	[S.Chi.]
<i>Venus foveolata</i> G. B. Sowerby II 1853	[S.Chi.]

CEPHALOPODA

Loliginidae

<i>Loliolus beka</i> (Sasaki 1929)	[S.Chi.]
<i>Uroteuthis (Photololigo) duvaucelii</i> (d'Orbigny [in Férussac & d'Orbigny] 1835)	[S.Chi.]

Octopodidae

<i>Amphioctopus fangsiao</i> (d'Orbigny [in Férussac & d'Orbigny] 1839-1841)	[S.Chi.]
<i>Octopus variabilis</i> (Sasaki 1929)	[S.Chi.]

Sepiadariidae

<i>Sepiadarium kochii</i> Steenstrup 1881	[S.Chi.]
---	----------

Sepiidae

<i>Sepia aculeata</i> Van Hasselt [in Férussac & d'Orbigny] 1835	[S.Chi.]
<i>Sepia andreana</i> Steenstrup 1875	[S.Chi.]

Sepia esculenta Hoyle 1885 [S.Chi.]

Sepia latimanus Quoy & Gaimard 1832 [S.Chi.]

Sepia lycidas Gray 1849 [S.Chi.]

Sepia madokai Adam 1939 [S.Chi.]

Sepiolidae

Lusepiola birostrata (Sasaki 1918) [S.Chi.]

GASTROPODA

Achatinidae

Allopeas gracile (T. Hutton 1834) [Palw./N.Born.; E.Afri. Cor. Coast]

Kempioconcha subolivacea (E. A. Smith 1890) [E.Afri. Cor. Coast]

Lissachatina allisa (Reeve 1849) [E.Afri. Cor. Coast]

Lissachatina fulica (Bowdich 1822) [S.Chi.; Palw./N.Born.]

Lissachatina reticulata (L. Pfeiffer 1845) [E.Afri. Cor. Coast]

Opeas lamoense (Melvill & Ponsonby 1892) [E.Afri. Cor. Coast]

Subulina octona (Bruguière 1789) [Palw./N.Born.]

Subulona usagarica (E. A. Smith 1890) [E.Afri. Cor. Coast]

Acteonidae

Pupa sulcata (Gmelin 1791) [S.Chi.]

Alycaeidae

Salinator fragilis (Lamarck 1822)

[W.Ind.]

Stomacosmethis jagori (E. von Martens 1860)

[Palw./N.Born.]

Amphibolidae

Phallomedusa solida (E. von Martens 1878)

[Tweed-Mor.]

Salinator sanchezi (Quadras & Möllendorf 1894)

[S.Chi.]

Ampullariidae

Pomacea canaliculata (Lamarck 1822)

[S.Chi.]

Pomacea scalaris (d'Orbigny 1835)

[S.Chi.]

Angariidae

Angaria delphinus (Linnaeus 1758)

[S.Chi.]

Architectonicidae

Architectonica perspectiva (Linnaeus 1758)

[S.Chi.; E.Philip.]

Ariophantidae

Hemiplecta humphreysiana (I. Lea 1840)

[Palw./N.Born.]

Macrochlamys tersa (Issel 1874)

[Palw./N.Born.]

Microcystina sinica Möllendorff 1885

[Palw./N.Born.]

Assimineidae

Angustassiminea nitida (Pease 1865)

[S.Chi.]

Assiminea estuarina Habe 1946

[S.Chi.]

Assiminea japonica E. von Martens 1877

[S.Chi.]

<i>Assimineea lutea</i> A. Adams 1861	[S.Chi.]
<i>Assimineea violacea</i> Heude 1882	[S.Chi.]
<i>Optedicerus breviculum</i> (L. Pfeiffer 1855)	[S.Chi.; Gulf. Thail.; Sun. Shelf/Jav. Sea; Gulf. Tonk]
<i>Pseudomphala latericea</i> (H. Adams & A. Adams 1864)	[S.Chi.]
<i>Solenomphala scalaris</i> (Heude 1882)	[S.Chi.]
<i>Taiwanassimineea hayasii</i> (Habe 1942)	[S.Chi.]

Babyloniidae

<i>Babylonia areolata</i> (Link 1807)	[S.Chi.]
<i>Babylonia formosae</i> (G. B. Sowerby II 1866)	[S.Chi.]
<i>Babylonia lutosa</i> (Lamarck 1816)	[S.Chi.]
<i>Babylonia spirata</i> (Linnaeus 1758)	[S.Chi.]

Batillariidae

<i>Batillaria cumingii</i> (Crosse 1862)	[S.Chi.]
<i>Batillaria multiformis</i> (Lischke 1869)	[S.Chi.; Ban. Sea]
<i>Batillaria sordida</i> (Gmelin 1791)	[S.Chi.]
<i>Batillaria zonalis</i> (Bruguière 1792)	[S.Chi.; Sun. Shelf/Jav. Sea]

Bithyniidae

<i>Gabbia fuchsiana</i> (Möllendorff 1888)	[S.Chi.]
<i>Parafossarulus eximius</i> (Frauenfeld 1864)	[S.Chi.]

Bullidae

Bulla occidentalis A. Adams 1850

[NE.Br.; SW.Carib.]

Bursidae

Bufo naria perelegans Beu 1987

[S.Chi.]

Bufo naria rana (Linnaeus 1758)

[S.Chi.]

Dulcerana granularis (Röding 1798)

[S.Chi.]

Caecidae

Meioceras nitidum (Stimpson 1851)

[SW.Carib.]

Calypttraeidae

Bostrycapulus aculeatus (Gmelin 1791)

[NE.Br.]

Crepidula plana Say 1822

[NE.Br.]

Camaenidae

Bradybaena similaris (Férussac 1822)

[S.Chi.; Palw./N.Born.]

Camaena hainanensis (H. Adams 1870)

[S.Chi.]

Chloritis sibuensis (E. A. Smith 1894)

[Palw./N.Born.]

Helicostyla cinerosa trailli (L. Pfeiffer 1855)

[Palw./N.Born.]

Cancellariidae

Bivetiella cancellata (Linnaeus 1767)

[E.Philip.]

Cassidae

Phalium flammiferum (Röding 1798)

[S.Chi.]

Phalium glaucum (Linnaeus 1758)

[S.Chi.]

Semicassis bisulcata (Schubert & J. A. Wagner 1829)

[Gulf. Thail.]

Cerithiidae

Bittium varium (L. Pfeiffer 1840)

[NE.Br.]

Cerithium citrinum G. B. Sowerby II 1855

[S.Chi.]

Cerithium coralium Kiener 1841

[Mal. Strait; Ban. Sea]

Cerithium eburneum Bruguière 1792

[SW.Carib.]

Cerithium lutosum Menke 1828

[SW.Carib.]

Cerithium punctatum Bruguière 1792

[NE.Sulaw.]

Cerithium traillii G. B. Sowerby II 1855

[S.Chi.]

Cerithium zonatum (W. Wood 1828)

[S.Chi.]

Clypeomorus batillariaeformis Habe & Kosuge 1966

[Mal. Strait]

Clypeomorus bifasciata (G. B. Sowerby II 1855)

[Mal. Strait; W.Ind.]

Clypeomorus pellucida (Hombron & Jacquinot 1848)

[Ban. Sea]

Clypeomorus subbrevicula (Oostingh 1925)

[W.Ind.]

Rhinoclavis aspera (Linnaeus 1758)

[NE.Sulaw.]

Rhinoclavis sinensis (Gmelin 1791)

[S.Chi.]

Rhinoclavis sordidula (A. Gould 1849)

[E.Philip.; S.Chi.]

Rhinoclavis vertagus (Linnaeus 1767)

[S.Chi.; NE.Sulaw.; E.Philip.]

Cerithiopsidae

Cerithiopsis greenii (C. B. Adams 1839)

[NE.Br.]

Charopidae

Discocharopa aperta (Möllendorff 1888) [Palw./N.Born.]

Philalanka kusana sejuncta I. Rensch 1932 [Palw./N.Born.]

Chilodontaidae

Euchelus scaber (Linnaeus 1758) [S.Chi.]

Granata lyrata (Pilsbry 1890) [S.Chi.]

Herpetopoma lischkei (Pilsbry 1904) [S.Chi.]

Chronidae

Kaliella doliolum (L. Pfeiffer 1846) [Palw./N.Born.]

Kaliella microconus (Mousson 1865) [Palw./N.Born.]

Kaliella scandens (Cox 1872) [Palw./N.Born.]

Clavatulidae

Turricula nelliae (E. A. Smith 1877) [S.Chi.]

Columbellidae

Astiris lunata (Say 1826) [NE.Br.]

Columbella mercatoria (Linnaeus 1758) [SW.Carib.]

Costoanachis sparsa (Reeve 1859) [NE.Br.]

Euplica scripta (Lamarck 1822) [S.Chi.]

Mitrella albuginosa (Reeve 1859) [S.Chi.]

Mitrella brookei (Reeve 1859) [S.Chi.]

<i>Pardalinops testudinaria</i> (Link 1807)	[S.Chi.]
<i>Parvanachis obesa</i> (C. B. Adams 1845)	[NE.Br.; Amz.]
<i>Pyrene flava</i> (Bruguière 1789)	[W.Ind.]
<i>Pyrene punctata</i> (Bruguière 1789)	[S.Chi.]

Conidae

<i>Conasprella jaspidea</i> (Gmelin 1791)	[NE.Br.]
<i>Conus chaldaeus</i> (Röding 1798)	[S.Chi.]
<i>Conus ebraeus</i> Linnaeus 1758	[S.Chi.]
<i>Conus frigidus</i> Reeve 1848	[Less. Sun]
<i>Conus sponsalis</i> Hwass in Bruguière 1792	[Less. Sun]
<i>Conus textile</i> Linnaeus 1758	[S.Chi.]

Costellariidae

<i>Vexillum rugosum</i> (Gmelin 1791)	[S.Chi.]
<i>Vexillum vulpecula</i> (Linnaeus 1758)	[E.Philip.]

Cyclophoridae

<i>Japonia balabacensis</i> (E. A. Smith 1895)	[Palw./N.Born.]
<i>Japonia borneensis</i> (E. A. Smith 1893)	[Palw./N.Born.]
<i>Japonia jucunda</i> (E. A. Smith 1893)	[Palw./N.Born.]
<i>Leptopoma pellucidum</i> (Hombron & Jacquinot 1848)	[Palw./N.Born.]
<i>Leptopoma sericatum</i> (L. Pfeiffer 1853)	[Palw./N.Born.]

Platyrhaphe bongaoensis (E. A. Smith 1894)

[Palw./N.Born.]

Pterocyclos tenuilabiatus (Metcalf 1852)

[Palw./N.Born.]

Cylichnidae

Cylichnella bidentata (d'Orbigny 1841)

[NE.Br.]

Semiretusa borneensis (A. Adams 1850)

[S.Chi.]

Cymatiidae

Gutturnium muricinum (Röding 1798)

[W.Sum.]

Gyrineum natator (Röding 1798)

[S.Chi.]

Linatella caudata (Gmelin 1791)

[Gulf. Thail.]

Monoplex pilearis (Linnaeus 1758)

[E.Philip.]

Cypraeidae

Erronea erronea (Linnaeus 1758)

[S.Chi.]

Monetaria annulus (Linnaeus 1758)

[Less. Sun]

Monetaria caputserpentis (Linnaeus 1758)

[Less. Sun]

Monetaria moneta (Linnaeus 1758)

[E.Philip.]

Naria erosa (Linnaeus 1758)

[E.Philip.]

Palmadusta clandestina (Linnaeus 1767)

[E.Philip.]

Diplommatinidae

Arinia boreoborneensis Vermeulen 1996

[Palw./N.Born.]

Arinia stenotrochus Vermeulen 1996

[Palw./N.Born.]

Diplommatina recta E. A. Smith 1895 [Palw./N.Born.]

Opisthostoma telestoma Vermeulen 1991 [Palw./N.Born.]

Plectostoma concinnum (Fulton 1901) [Palw./N.Born.]

Plectostoma obliquedentatum (Vermeulen 1994) [Palw./N.Born.]

Dorididae

Homoiodoris japonica Bergh 1882 [S.Chi.]

Ellobiidae

Allochroa layardi (H. Adams & A. Adams 1855) [Gulf. Tonk; S.Chi.]

Auriculastra duplicata (L. Pfeiffer 1855) [S.Chi.]

Auriculastra saccata (L. Pfeiffer 1855) [S.Chi.]

Auriculastra subula (Quoy & Gaimard 1832) [S.Chi.]

Blauneria heteroclita (Montagu 1808) [Amz.]

Blauneria quadrasi Möllendorff 1895 [Palw./N.Born.]

Cassidula angulifera (Petit de la Saussaye 1841) [Araf. Sea; Mal. Strait]

Cassidula aurisfelis (Bruguère 1789) [Gulf. Thail.; Sun. Shelf/Jav. Sea; Mal. Strait; S.Ind. & Sri Lanka; Ban. Sea; S.Chi.; Araf. Sea]

Cassidula multiplicata E. von Martens 1865 [Palw./N.Born.]

Cassidula nucleus (Gmelin 1791) [Gulf. Thail.; Sun. Shelf/Jav. Sea; S.Ind. & Sri Lanka; E.Philip.; S.Chi.; Mal. Strait]

Cassidula paludosa nigrobrunnea Pilsbry & Y. Hirase 1905 [S.Chi.]

Cassidula plecotrematoides Möllendorf 1885 [S.Chi.]

<i>Cassidula schmackeriana</i> Möllendorff 1895	[S.Chi.]
<i>Cassidula sowerbyana</i> (L. Pfeiffer 1853)	[S.Chi.]
<i>Ellobium aurisjudae</i> (Linnaeus 1758)	[S.Chi.; Araf. Sea; Palw./N.Born.; Gulf. Thail.; NE.Sulaw.; Pap.; E.Philip.]
<i>Ellobium chinense</i> (L. Pfeiffer 1855)	[S.Chi.]
<i>Ellobium dominicense</i> (Férussac 1821)	[Amz.]
<i>Ellobium incrassatum</i> H. Adams & A. Adams 1854	[W.Ind.]
<i>Ellobium scheepmakeri</i> (Petit de la Saussaye 1850)	[Mal. Strait]
<i>Laemodonta minuta</i> (Möllendorff 1885)	[S.Chi.]
<i>Laemodonta monilifera</i> (H. Adams & A. Adams 1854)	[Palw./N.Born.]
<i>Laemodonta octanfracta</i> (Jonas 1845)	[S.Chi.]
<i>Laemodonta punctatostriata</i> (H. Adams & A. Adams 1854)	[S.Chi.]
<i>Laemodonta typica</i> (H. Adams & A. Adams 1854)	[S.Chi.; Palw./N.Born.]
<i>Melampus bidentatus</i> Say 1822	[S.Ind. & Sri Lanka; S.Chi.]
<i>Melampus castaneus</i> (Megerle von Mühlfeld 1816)	[S.Chi.; Araf. Sea; W.Ind.]
<i>Melampus coffea</i> (Linnaeus 1758)	[Amz.; NE.Br.; SE.Br.; Palw./N.Born.]
<i>Melampus exaratus</i> H. Adams & A. Adams 1854	[S.Chi.]
<i>Melampus lividus</i> (Deshayes 1830)	[Palw./N.Born.]
<i>Melampus luteus</i> (Quoy & Gaimard 1832)	[E.Afri. Cor. Coast]
<i>Melampus parvulus</i> L. Pfeiffer 1856	[S.Chi.]
<i>Melampus phaeostylus</i> Kobelt 1869	[S.Chi.]

<i>Melampus pulchellus</i> (Petit de la Saussaye 1843)	[Palw./N.Born.]
<i>Melampus sincaporensis</i> L. Pfeiffer 1855	[S.Chi.; S.Ind. & Sri Lanka]
<i>Microtralia alba</i> (Gassies 1865)	[Palw./N.Born.]
<i>Pleuroloba costellaris</i> (H. Adams & A. Adams 1854)	[S.Chi.]
<i>Pseudomelampus exiguus</i> (R. T. Lowe 1832)	[S.Chi.]
<i>Pythia cecillii</i> (Philippi 1847)	[S.Chi.]
<i>Pythia plicata</i> (Férussac 1821)	[Mal. Strait; S.Ind. & Sri Lanka]
<i>Pythia savaiensis</i> (Mousson 1869)	[NE.Sulaw.]
<i>Pythia scarabaeus</i> (Linnaeus 1758)	[Palw./N.Born.]
<i>Pythia trigona</i> (Troschel 1838)	[S.Chi.]

Epitoniidae

<i>Janthina globosa</i> Swainson 1822	[S.Chi.]
<i>Janthina janthina</i> (Linnaeus 1758)	[S.Chi.]

Eulimidae

<i>Eulima sarsi</i> Bush 1909	[NE.Br.]
-------------------------------	----------

Fasciolaridae

<i>Aurantilaria aurantiaca</i> (Lamarck 1816)	[NE.Br.]
<i>Fusinus colus</i> (Linnaeus 1758)	[Del.]
<i>Latirus gibbulus</i> (Gmelin 1791)	[E.Philip.]
<i>Latirus philberti</i> (Récluz 1844)	[E.Philip.]

<i>Pleuroploca trapezium</i> (Linnaeus 1758)	[E.Philip.]
Ferussaciidae	
<i>Coilostele inquirenda</i> B. Rensch 1935	[Palw./N.Born.]
Fissurellidae	
<i>Diodora italica</i> (Defrance 1820)	[W.Ind.]
Gastrocoptidae	
<i>Gastrocopta avanica</i> (Benson 1863)	[Palw./N.Born.]
Haliotidae	
<i>Haliotis diversicolor</i> Reeve 1846	[S.Chi.]
<i>Haliotis ovina</i> Gmelin 1791	[S.Chi.]
Haminoeidae	
<i>Atys riiseanus</i> Mörch 1875	[NE.Br.]
<i>Bullacta caurina</i> (Benson 1842)	[S.Chi.]
<i>Haminoea antillarum</i> (d'Orbigny 1841)	[SW.Carib.]
<i>Haminoea succinea</i> (Conrad 1846)	[SW.Carib.]
Harpidae	
<i>Harpa major</i> Röding 1798	[S.Chi.]
Helicarionidae	
<i>Sitala jenynsi</i> (L. Pfeiffer 1846)	[E.Afri. Cor. Coast]
<i>Thapsia insulsa</i> Preston 1910	[E.Afri. Cor. Coast]

Helicinidae

Aphanoconia trichroa A. J. Wagner 1905

[Palw./N.Born.]

Helicodiscidae

Stenopylis coarctata (Möllendorff 1894)

[Palw./N.Born.]

Hemisinidae

Pachymelania fusca (Gmelin 1791)

[Gulf. Gui. Central]

Hipponicidae

Hipponix incurvus (Gmelin 1791)

[NE.Br.]

Hydrocenidae

Georissa bangueyensis E. A. Smith 1895

[Palw./N.Born.]

Iravadiidae

Iravadia cochinchinensis (Bavay & Dautzenberg 1910)

[S.Chi.]

Iravadia ornata W. T. Blanford 1867

[S.Chi.]

Iravadia quadrasi (O. Boettger 1893)

[S.Chi.]

Limapontiidae

Swennenia jabae (Swennen 2001)

[Gulf. Thail.]

Litiopidae

Alaba incerta (d'Orbigny 1841)

[NE.Br.]

Littorinidae

Echinolittorina radiata (Souleyet 1852)

[S.Chi.]

<i>Echinolittorina millegrana</i> (Philippi 1848)	[S.Chi.; NE.Sulaw.]
<i>Littoraria aberrans</i> (Philippi 1846)	[SW.Carib.]
<i>Littoraria albicans</i> (Metcalf 1852)	[Sun. Shelf/Jav. Sea]
<i>Littoraria angulifera</i> (Lamarck 1822)	[S.Carib.; Amz.; NE.Br.; Grea. Anti.; Mal. Strait; W.Ind.; SW.Carib.]
<i>Littoraria ardouiniana</i> (Heude 1885)	[Gulf. Tonk; S.Chi.; Mal. Strait]
<i>Littoraria articulata</i> (Philippi 1846)	[S.Chi.; Gulf. Thail.; Sun. Shelf/Jav. Sea]
<i>Littoraria bengalensis</i> D. Reid 2001	[Mal. Strait]
<i>Littoraria carinifera</i> (Menke 1830)	[Ban. Sea; Sun. Shelf/Jav. Sea; Mal. Strait]
<i>Littoraria cingulata</i> (Philippi 1846)	[Exm. Broome; Sha. Bay]
<i>Littoraria cingulifera</i> (Dunker 1845)	[Gulf. Gui. Upwelling]
<i>Littoraria coccinea</i> (Gmelin 1791)	[S.Chi.; Fi. Islands]
<i>Littoraria conica</i> (Philippi 1846)	[Mal. Strait]
<i>Littoraria delicatula</i> (G. Nevill 1885)	[NT.BayBeng.]
<i>Littoraria filosa</i> (G. B. Sowerby I 1832)	[Exm. Broome; Tweed-Mor.]
<i>Littoraria flava</i> (P. P. King 1832)	[Amz.; NE.Br.]
<i>Littoraria ianthostoma</i> Stuckey & D. Reid 2002	[Bona. Coast]
<i>Littoraria intermedia</i> (Philippi 1846)	[Ban. Sea; S.Chi.; Gulf. Thail.; E.Afri. Cor. Coast; Mal. Strait]
<i>Littoraria irrorata</i> (Say 1822)	[Mal. Strait]
<i>Littoraria lutea</i> (Philippi 1847)	[NE.Sulaw.; S.Chi.; Sun. Shelf/Jav. Sea; Mal. Strait]

Littoraria luteola (Quoy & Gaimard 1833)

[Cap. Ho.]

Littoraria mauritiana (Lamarck 1822)

[SE. Madag.; Masc. Islands]

Littoraria melanostoma (Gray 1839)

[Pap.; Gulf. Tonk; S.Chi.; Gulf. Thail.; Sun. Shelf/Jav. Sea; Mal. Strait]

Littoraria nebulosa (Lamarck 1822)

[S. Gulf. Mex.]

Littoraria pallescens (Philippi 1846)

[E.Afri. Cor. Coast; NE.Sulaw.; Ban. Sea; Gulf. Tonk; S.Chi.; Araf. Sea; Gulf. Thail.; Sun. Shelf/Jav. Sea]

Littoraria philippiana (Reeve 1857)

[Tor. Strait N. G. B. Reef]

Littoraria pintado pintado (W. Wood 1828)

[S. Kur.; Haw.; SE. Madag.]

Littoraria rosewateri D. Reid 1999

[Chi. Nica.; Panam. Bight]

Littoraria scabra (Linnaeus 1758)

[E.Afri. Cor. Coast; Sulw. Sea/Maks. Strait; NE.Sulaw.; Del.; W.Sum.; Gulf. Tonk; E.Philip.; S.Chi.; Araf. Sea; Mal. Strait]

Littoraria sinensis (Philippi 1847)

[S.Chi.; Cent. Kuro. Corrt.]

Littoraria strigata (Philippi 1846)

[Less. Sun; Sun. Shelf/Jav. Sea]

Littoraria subvittata D. Reid 1986

[E.Afri. Cor. Coast]

Littoraria sulculosa (Philippi 1846)

[Exm. Broome]

Littoraria tessellata (Philippi 1847)

[Grea. Anti.; SW.Carib.]

Littoraria undulata (Gray 1839)

[Gulf. Tonk; S.Chi.; W.Ind.]

Littoraria varia (G. B. Sowerby I 1832)

[Nic.; Guay.]

Littoraria variegata (Souleyet 1852)

[Panam. Bight; Cort.]

Littoraria vespacea D. Reid 1986

[Mal. Strait; Sun. Shelf/Jav. Sea]

<i>Littoraria zebra</i> (Donovan 1825)	[Panam. Bight; Nic.]
<i>Littorina brevicula</i> (Philippi 1844)	[S.Chi.]
<i>Littorina obtusata littoralis</i> (Linnaeus 1758)	[E.Philip.]
<i>Mainwaringia dantaae</i> Y.-F. Fang Y.-J. Peng G.-J. Zhang & J. He 2012	[Gulf. Tonk; S.Chi.]
<i>Nodilittorina pyramidalis</i> (Quoy & Gaimard 1833)	[S.Chi.]

Lottiidae

<i>Nipponacmea schrenckii</i> (Lischke 1868)	[S.Chi.]
<i>Patelloida pygmaea</i> (Dunker 1860)	[S.Chi.]

Lymnaeidae

<i>Radix auricularia</i> (Linnaeus 1758)	[S.Chi.]
--	----------

Mangeliidae

<i>Pyrgocythara albovittata</i> (C. B. Adams 1845)	[NE.Br.]
--	----------

Melongenidae

<i>Pugilina morio</i> (Linnaeus 1758)	[Sahel. Upwe.]
<i>Volegalea cochlidium</i> (Linnaeus 1758)	[Gulf. Thail.]
<i>Volema myristica</i> Röding 1798	[Ban. Sea]
<i>Volema pyrum</i> (Gmelin 1791)	[Del.]

Mitridae

<i>Isara chinensis</i> (Gray 1834)	[S.Chi.]
------------------------------------	----------

Strigatella scutulata (Gmelin 1791)

[S.Chi.]

Modulidae

Modulus modulus (Linnaeus 1758)

[SW.Carib.]

Muricidae

Bolinus brandaris (Linnaeus 1758)

[Mal. Strait]

Chicoreus axicornis (Lamarck 1822)

[NE.Sulaw.]

Chicoreus brunneus (Link 1807)

[S.Chi.]

Chicoreus capucinus (Lamarck 1822)

[Araf. Sea; Mal. Strait; NE.Sulaw.; Ban. Sea]

Chicoreus ramosus (Linnaeus 1758)

[Del.]

Chicoreus virgineus (Röding 1798)

[S.Ind. & Sri Lanka]

Drupella margariticola (Broderip 1833)

[Ban. Sea; Mal. Strait]

Ergalatax contracta (Reeve 1846)

[S.Chi.]

Hexaplex duplex (Röding 1798)

[Sahel. Upwe.]

Hexaplex trunculus (Linnaeus 1758)

[NE.Sulaw.]

Indothais gradata (Jonas 1846)

[Pap.]

Indothais javanica (Philippi 1848)

[S.Chi.]

Indothais lacera (Born 1778)

[Gulf. Thail.]

Indothais rufotincta (K. S. Tan & Sigurdsson 1996)

[Gulf. Thail.]

Lataxiena blosvillei (Deshayes 1832)

[Mal. Strait; Gulf. Thail.]

Mancinella alouina (Röding 1798)

[S.Chi.]

<i>Mancinella echinata</i> (Blainville 1832)	[S.Chi.]
<i>Murex brevispina</i> Lamarck 1822	[Del.]
<i>Murex trapa</i> Röding 1798	[NE.Sulaw.; S.Chi.; Gulf. Thail.]
<i>Murex tribulus</i> Linnaeus 1758	[S.Ind. & Sri Lanka]
<i>Murichorda fiscellum</i> (Gmelin 1791)	[E.Philip.]
<i>Pterynotus elongatus</i> ([Lightfoot] 1786)	[E.Philip.]
<i>Rapana bezoar</i> (Linnaeus 1767)	[S.Chi.]
<i>Rapana rapiformis</i> (Born 1778)	[S.Chi.]
<i>Rapana venosa</i> (Valenciennes 1846)	[S.Chi.]
<i>Reishia clavigera</i> (Küster 1860)	[S.Chi.]
<i>Reishia luteostoma</i> (Holten 1802)	[S.Chi.]
<i>Semiricinula fusca</i> (Küster 1862)	[W.Sum.]
<i>Semiricinula muricoides</i> (Blainville 1832)	[Mal. Strait]
<i>Semiricinula tissoti</i> (Petit de la Saussaye 1852)	[Less. Sun]
<i>Semiricinula turbinoides</i> (Blainville 1832)	[NE.Sulaw.]
<i>Stramonita brasiliensis</i> Claremont & D. Reid 2011	[Amz.]
<i>Tenguella granulata</i> (Duclos 1832)	[S.Chi.]
<i>Tenguella musiva</i> (Kiener 1835)	[Mal. Strait]
<i>Thaisella coronata</i> (Lamarck 1816)	[Amz.]

Nacellidae

Cellana testudinaria (Linnaeus 1758) [S.Chi.]

Cellana toreuma (Reeve 1854) [S.Chi.]

Nassariidae

Nassarius arcularia (Linnaeus 1758) [E.Philip.]

Nassarius arcularia plicatus (Röding 1798) [Del.]

Nassarius bellulus (A. Adams 1852) [S.Chi.]

Nassarius castus (Gould 1850) [S.Chi.]

Nassarius conoidalis (Deshayes 1833) [S.Chi.]

Nassarius coronatus (Bruguière 1789) [Del.; E.Philip.]

Nassarius festivus (Powys 1835) [S.Chi.]

Nassarius foveolatus (Dunker 1847) [S.Chi.]

Nassarius javanus (Schepman 1891) [S.Chi.]

Nassarius livescens (Philippi 1849) [S.Chi.]

Nassarius nodiferus (Powys 1835) [S.Chi.]

Nassarius olivaceus (Bruguière 1789) [Mal. Strait; E.Philip.; S.Chi.]

Nassarius pullus (Linnaeus 1758) [S.Chi.; S.Ind. & Sri Lanka]

Nassarius sinarum (Philippi 1851) [S.Chi.]

Nassarius siquijorensis (A. Adams 1852) [S.Chi.]

Nassarius succinctus (A. Adams 1852) [S.Chi.]

Nassarius variciferus (A. Adams 1852) [S.Chi.]

Tritia corniculum (Olivi 1792)

[Mal. Strait]

Naticidae

Euspira gilva (Philippi 1851)

[S.Chi.]

Glyphepithema alapapilionis (Röding 1798)

[Del.]

Mammilla mammata (Röding 1798)

[S.Chi.]

Mammilla melanostoma (Gmelin 1791)

[S.Chi.]

Natica marochiensis (Gmelin 1791)

[Amz.]

Natica vitellus (Linnaeus 1758)

[S.Chi.]

Naticarius hainanensis (X. Liu 1977)

[S.Chi.]

Neverita didyma (Röding 1798)

[S.Chi.; Del.]

Notocochlis gualteriana (Récluz 1844)

[S.Chi.; Del.]

Paratectonatica tigrina (Röding 1798)

[S.Chi.; Mal. Strait; Sun. Shelf/Jav. Sea]

Polinices albumen (Linnaeus 1758)

[S.Chi.]

Polinices mammilla (Linnaeus 1758)

[S.Chi.]

Sinum haliotoideum (Linnaeus 1758)

[S.Chi.]

Sinum javanicum (Gray 1834)

[S.Chi.]

Tanea lineata (Röding 1798)

[S.Chi.]

Neritidae

Clithon corona (Linnaeus 1758)

[Araf. Sea]

Clithon faba (G. B. Sowerby I 1836)

[Sun. Shelf/Jav. Sea; S.Chi.]

<i>Clithon oualaniense</i> (Lesson 1831)	[S.Chi.; Mal. Strait; Sun. Shelf/Jav. Sea]
<i>Clithon pulchellum</i> (Récluz 1843)	[Ban. Sea]
<i>Clithon retropictum</i> (E. von Martens 1878)	[S.Chi.]
<i>Clithon sowerbianum</i> (Récluz 1843)	[S.Chi.]
<i>Nerita albicilla</i> Linnaeus 1758	[S.Chi.; W.Ind.; Del.; W.Sum.]
<i>Nerita balteata</i> Reeve 1855	[Araf. Sea]
<i>Nerita chamaeleon</i> Linnaeus 1758	[E.Philip.; W.Sum.; NE.Sulaw.; S.Chi.]
<i>Nerita costata</i> Gmelin 1791	[NE.Sulaw.; S.Chi.; Less. Sun]
<i>Nerita histrio</i> Linnaeus 1758	[W.Sum.]
<i>Nerita insculpta</i> Récluz 1841	[S.Chi.; Mal. Strait]
<i>Nerita japonica</i> Dunker 1860	[S.Chi.]
<i>Nerita planospira</i> Anton 1838	[S.Chi.; Araf. Sea; W.Sum.; NE.Sulaw.; E.Philip.; Mal. Strait; Less. Sun; Ban. Sea]
<i>Nerita plicata</i> Linnaeus 1758	[Araf. Sea; NE.Sulaw.]
<i>Nerita polita</i> Linnaeus 1758	[E.Philip.; S.Chi.; Mal. Strait; W.Sum.]
<i>Nerita undulata</i> Gmelin 1791	[E.Philip.]
<i>Nerita yoldii</i> Récluz 1841	[S.Chi.]
<i>Neripteron auriculatum</i> (Lamarck 1816)	[Araf. Sea]
<i>Neripteron violaceum</i> (Gmelin 1791)	[Araf. Sea; Sun. Shelf/Jav. Sea]
<i>Neripteron siquijorensense</i> (Récluz 1844)	[S.Chi.]
<i>Vitta virginea</i> (Linnaeus 1758)	[NE.Br.; SW.Carib.]

Vittina coromandeliana (G. B. Sowerby I 1836)

[NE.Sulaw.]

Vittina gagates (Lamarck 1822)

[Araf. Sea]

Vittina turrita (Gmelin 1791)

[NE.Sulaw.; S.Chi.]

Neritopsidae

Neritopsis radula (Linnaeus 1758)

[NE.Sulaw.]

Olividae

Oliva miniacea (Röding 1798)

[S.Chi.]

Oliva mustelina Lamarck 1811

[S.Chi.]

Olivella minuta (Link 1807)

[NE.Br.]

Onchidiidae

Onchidium reevesii (Gray 1850)

[S.Chi.]

Paromoionchis boholensis Dayrat & Goulding 2019

[E.Philip.; NE.Sulaw.; Ban. Sea]

Paromoionchis daemeli (C. Semper 1880)

[Tweed-Mor.; Cent. S. G. B. Reef]

Paromoionchis goslineri Dayrat & Goulding 2019

[E.Philip.; NE.Sulaw.; Less. Sun; Ban. Sea]

Paromoionchis penangensis Dayrat & Goulding 2019

[Anda. & Nico. Islands; W.Ind.; Sun. Shelf/Jav. Sea]

Paromoionchis tumidus (C. Semper 1880)

[E.Philip.; S. Viet.; Tweed-Mor.; Bona. Coast; Cent. S. G. B. Reef; W.Sum.; Solo. Sea]

Peronia verruculata (Cuvier 1830)

[Gulf. Tonk; S.Chi.]

Platevindex coriaceus (C. Semper 1882)

[S.Chi.]

Platevindex mortoni Britton 1984

[S.Chi.]

Pachychilidae

Faunus ater (Linnaeus 1758)

[Sun. Shelf/Jav. Sea; NE.Sulaw.; Ban. Sea]

Pisaniidae

Cantharus cecillei (Philippi 1844)

[S.Chi.]

Cantharus melanostoma (G. B. Sowerby I 1825)

[S.Chi.]

Engina mendicaria (Linnaeus 1758)

[S.Chi.]

Polia fumosa (Dillwyn 1817)

[S.Chi.]

Polia undosa (Linnaeus 1758)

[E.Philip.]

Plakobranchidae

Elysia bangtawaensis Swennen 1998

[Gulf. Thail.]

Elysia bengalensis Swennen 2011

[NT.BayBeng.]

Elysia crispata Mörch 1863

[SW.Carib.]

Elysia leucolegnote K. R. Jensen 1990

[S.Chi.; Sun. Shelf/Jav. Sea]

Elysia singaporensis Swennen 2011

[Mal. Strait]

Planaxidae

Planaxis sulcatus (Born 1778)

[Less. Sun; S.Chi.]

Pomatiidae

Tropidophora zanguebarica (Petit de la Saussaye 1850)

[E.Afri. Cor. Coast]

Potamididae

Cerithidea balteata A. Adams 1855

[Gulf. Tonk; S.Chi.]

Cerithidea decollata (Linnaeus 1767)

[N.Mon. Cor. Coast; Nat.; E.Afri. Cor. Coast; W.Ind.]

<i>Cerithidea obtusa</i> (Lamarck 1822)	[Sun. Shelf/Jav. Sea; Mal. Strait; Less. Sun; Gulf. Thail.; E.Philip.]
<i>Cerithidea quoyii</i> (Hombron & Jacquinot 1848)	[Mal. Strait; Sun. Shelf/Jav. Sea]
<i>Cerithidea rhizophorarum</i> A. Adams 1855	[Mal. Strait; Cent. Kuro. Corrt.; E.Philip.; S.Chi.]
<i>Cerithidea sinensis</i> (Philippi 1848)	[S.Chi.]
<i>Cerithideopsis californica</i> (Haldeman 1840)	[Mal. Strait]
<i>Cerithideopsis largillierti</i> (Philippi 1848)	[NE.Sulaw.]
<i>Cerithideopsis malayensis</i> D. Reid & Claremont 2014	[Mal. Strait]
<i>Cerithideopsis pliculosa</i> (Menke 1829)	[SW.Carib.]
<i>Pirenella alata</i> (Philippi 1849)	[Mal. Strait; Sun. Shelf/Jav. Sea]
<i>Pirenella cingulata</i> (Gmelin 1791)	[Sun. Shelf/Jav. Sea; E.Philip.]
<i>Pirenella incisa</i> (Hombron & Jacquinot 1848)	[Ban. Sea; Mal. Strait]
<i>Pirenella microptera</i> (Kiener 1841)	[Gulf. Tonk; S.Chi.]
<i>Telescopium telescopium</i> (Linnaeus 1758)	[S.Chi.; Araf. Sea; Sun. Shelf/Jav. Sea; Mal. Strait; Less. Sun; NE.Sulaw.; W.Ind.; Ban. Sea; Pap.; NT.BayBeng.; E.Philip.]
<i>Terebralia bonelli</i> (Deshayes 1833) †	[W.Ind.]
<i>Terebralia palustris</i> (Linnaeus 1767)	[NE.Sulaw.; E.Philip.; S.Chi.; Gulf. Tonk; Araf. Sea; N.Mon. Cor. Coast; Del.; S.Java; Less. Sun; E.Afri. Cor. Coast]
<i>Terebralia semistriata</i> (Mörch 1852)	[W.Ind.]
<i>Terebralia sulcata</i> (Born 1778)	[E.Philip.; W.Sum.; NE.Sulaw.; S.Chi.; Gulf. Tonk; Mal. Strait; S.Java; Ban. Sea]

Pseudomelatomidae

Pilsbryspira leucocyma (Dall 1884)

[SW.Carib.]

Pupillidae

Pupoides coenopictus (T. Hutton 1834)

[E.Afri. Cor. Coast]

Pyramidellidae

Boonea jadisi (Olsson & McGinty 1958)

[NE.Br.]

Eulimastoma canaliculatum (C. B. Adams 1850)

[NE.Br.]

Milda ventricosa (Guérin 1831)

[S.Chi.]

Odostomia unidentata (Montagu 1803)

[NE.Br.]

Otopleura auriscati (Holten 1802)

[S.Chi.]

Turbonilla asperula Bush 1899

[NE.Br.]

Turbonilla capixaba Pimenta & Absalão 2004

[NE.Br.]

Turbonilla elegans (d'Orbigny 1841)

[NE.Br.]

Turbonilla fasciata (d'Orbigny 1840)

[NE.Br.]

Turbonilla pupoides (d'Orbigny 1841)

[NE.Br.]

Turbonilla textilis (Kurtz 1860)

[NE.Br.]

Rhytididae

Macrocyloides densesculptus (B. Rensch 1932)

[Palw./N.Born.]

Ringiculidae

Pseudoringicula sinensis Lin 1980

[S.Chi.]

Rissoidae

Alvania electa (Monterosato 1874) [NE.Br.]

Siphonariidae

Siphonaria japonica (Donovan 1824) [S.Chi.]

Stenothyridae

Stenothyra divalis (Gould 1859) [S.Chi.]

Stenothyra edogawensis (Yokoyama 1927) [S.Chi.]

Stenothyra glabrata (A. Adams 1853) [S.Chi.]

Streptaxidae

Gonaxis gibbonsi J. W. Taylor 1877 [E.Afri. Cor. Coast]

Gulella bicolor (T. Hutton 1834) [Palw./N.Born.]

Strombidae

Canarium labiatum (Röding 1798) [NE.Sulaw.; S.Chi.]

Canarium mutabile (Swainson 1821) [S.Chi.]

Canarium urceus (Linnaeus 1758) [E.Philip.]

Conomurex luhuanus (Linnaeus 1758) [NE.Sulaw.; S.Chi.]

Euprotomus aurisdianae (Linnaeus 1758) [NE.Sulaw.]

Gibberulus gibberulus (Linnaeus 1758) [NE.Sulaw.]

Laevistrombus canarium (Linnaeus 1758) [S.Ind. & Sri Lanka]

Ministrombus variabilis (Swainson 1820) [NE.Sulaw.]

Neodilatilabrum marginatum (Linnaeus 1758)

[NE.Sulaw.; S.Ind. & Sri Lanka]

Strombus gracilior G. B. Sowerby I 1825

[E.Philip.]

Tegulidae

Rochia nilotica (Linnaeus 1767)

[E.Philip.]

Tegula argyrostoma (Gmelin 1791)

[S.Chi.]

Tegula nigerrima (Gmelin 1791)

[S.Chi.]

Tectus pyramis (Born 1778)

[S.Chi.]

Terebridae

Duplicaria dussumierii (Kiener 1837)

[S.Chi.]

Thiaridae

Melanoides tuberculata (O. F. Müller 1774)

[S.Chi.]

Sermyla riquetii (Grateloup 1840)

[S.Chi.]

Stenomelania costellaris (I. Lea & H. C. Lea 1851)

[S.Chi.]

Stenomelania torulosa (Bruguière 1789)

[Pap.]

Tarebia granifera (Lamarck 1816)

[S.Chi.]

Tonnidae

Tonna dolium (Linnaeus 1758)

[S.Chi.]

Triphoridae

Marshallora nigrocincta (C. B. Adams 1839)

[NE.Br.]

Trochidae

<i>Clanculus margaritarius</i> (Philippi 1846)	[S.Chi.]
<i>Monilea callifera</i> (Lamarck 1822)	[S.Chi.]
<i>Monodonta canalifera</i> Lamarck 1816	[Less. Sun]
<i>Monodonta labio</i> (Linnaeus 1758)	[E.Philip.; W.Sum.; S.Chi.; NE.Sulaw.]
<i>Trochus hanleyanus</i> Reeve 1842	[S.Chi.]
<i>Trochus maculatus</i> Linnaeus 1758	[S.Chi.; E.Philip.]
<i>Trochus stellatus</i> Gmelin 1791	[S.Chi.]
<i>Umbonium costatum</i> (Kiener 1838)	[S.Chi.]
<i>Umbonium thomasi</i> (Crosse 1863)	[S.Chi.]
<i>Umbonium vestiarium</i> (Linnaeus 1758)	[S.Chi.]

Trochomorphidae

<i>Geotrochus bicolor</i> (E. von Martens 1864)	[Palw./N.Born.]
<i>Videna metcalfii</i> (L. Pfeiffer 1845)	[Palw./N.Born.]
<i>Videna repanda</i> (Möllendorff 1890)	[Palw./N.Born.]

Truncatellidae

<i>Truncatella guerinii</i> A. Villa & J. B. Villa 1841	[Palw./N.Born.; E.Afri. Cor. Coast]
<i>Truncatella marginata</i> Küster 1855	[E.Afri. Cor. Coast]

Turbinidae

<i>Lunella cinerea</i> (Born 1778)	[W.Sum.]
<i>Lunella coronata</i> (Gmelin 1791)	[S.Chi.; W.Ind.]

Turbo argyrostomus Linnaeus 1758

[W.Sum.]

Turbo bruneus (Röding 1798)

[NE.Sulaw.; S.Chi.]

Turbo setosus Gmelin 1791

[S.Chi.]

Turbo stenogyrus P. Fischer 1873

[S.Chi.]

Turridae

Lophiotoma polytropa (Helbling 1779)

[Ban. Sea]

Turritellidae

Torquesia terebellata (Lamarck 1804) †

[Mal. Strait]

Turritella bacillum Kiener 1843

[S.Chi.]

Turritella terebra (Linnaeus 1758)

[Gulf. Thail.; NE.Sulaw.; S.Chi.]

Valloniidae

Pupisoma dioscoricola (C. B. Adams 1845)

[Palw./N.Born.]

Vermetidae

Thylacodes adamsii (Mörch 1859)

[S.Chi.]

Veronicellidae

Laevicaulis alte (Férussac 1822)

[S.Chi.]

Vertiginidae

Insulipupa malayana (Issel 1874)

[Palw./N.Born.]

Nesopupa moreleti (A. D. Brown 1870)

[Palw./N.Born.]

Viviparidae

Angulyagra polyzonata (Frauenfeld 1862) [S.Chi.]

Cipangopaludina chinensis (Gray 1833) [S.Chi.]

Sinotaia quadrata (Benson 1842) [S.Chi.]

Zebinidae

Schwartziella bryerea (Montagu 1803) [NE.Br.]

Schwartziella catesbyana (d'Orbigny 1842) [NE.Br.]

Zebina browniana (d'Orbigny 1842) [SW.Carib.]

POLYPLACOPHORA

Chitonidae

Acanthopleura granulata (Gmelin 1791) [Less. Sun]

Ischnochitonidae

Ischnochiton comptus (A. Gould 1859) [S.Chi.]

Mopaliidae

Mopalia retifera Thiele 1909 [S.Chi.]

SCAPHOPODA

Dentaliidae

Dentalium obtusum Z. Qi & X.-T. Ma 1989 [S.Chi.]

Dentalium octangulatum Donovan 1804 [S.Chi.]

Gadilinae

Episiphon kiaochoowwanense (S. Tchang & C.-Y. Tsi 1950)

[S.Chi.]